

Necessary Conditions for An Anomalous Phenomenon Discovered with A Pyramidal Structure

**Osamu TAKAGI¹, Masamichi SAKAMOTO², Hideo YOICHI¹, Hideyuki KOKUBO¹,
Kimiko KAWANO¹, Mikio YAMAMOTO¹**

¹*Information and Research Center, International Research Institute (IRI) (Chiba, Japan)*

²*Aquavision Academy Co., Ltd. (Chiba, Japan)*

Abstract: Our purpose is to study scientifically and to apply the so called pyramid effect. In 2013, we proved with very high statistical accuracy a meditator's non-contact effect on bio-sensors (cucumber slices) placed on the pyramidal structure (PS) peak by strict experiments and an analysis method. In 2015, the non-contact effect was detected over an extended period of time (10 plus days) after the meditation. Thus we proved the existence of a new phenomenon "an anomalous non-contact effect with a delay associated with a pyramidal structure" from this result. In 2016, we identified the necessary conditions for the anomalous phenomenon discovered with a pyramidal structure. From the result of a new verification experiment in which the experimental conditions for the meditator and the PS were varied, it was verified that the non-contact effect was not detected in the meditation period regardless of the existence or non-existence of the meditator and the existence or non-existence of the PS. Furthermore, we showed that the condition in which the meditator is in the pyramidal structure during the meditation period is the only condition for the non-contact effect to be detected after the meditation period. These research results further solidified the hypothesis we proposed in 2015 about the origin of the non-contact effect associated with a pyramidal structure.

Keywords: meditator, pyramidal structure, non-contact effect, delayed effect, bio-sensor, cucumber, gas

1. Preface

In October 2007, the Sakamoto Hyper-tech Project (SHyP) was started as a joint activity between the International Research Institute (IRI, Chairman of the Board of Directors: Mikio Yamamoto) and Aquavision Academy Co., Ltd. (President: Masamichi Sakamoto). There are six project research members (**Fig.1**). The subject of the research by the SHyP is scientific research on the pyramid effect. The background of this research is that the pyramid is said to have unknown power. However, scientific research has been scarcely done. In addition, Masamichi Sakamoto, who is one of the members, received a message from Bashar through channeling, which indicated that a pyramid is a power amplifier and it can awaken human consciousness¹). The purpose of the research by the SHyP is to study electromagnetic effects of a pyramidal structure (PS) and its influence on biological objects and consciousness. And the ultimate purpose is to develop a product which harnessed the result of the research. So far (as of July 2016), we have published three papers²⁻⁴) as a result of our research. By our research, unknown function of the PS was proved by

strict experiments and an analysis method. In the scientific research on the pyramid effect, there have been actually no academic papers that have shown experimental data with very high statistical accuracy except ours.

2. Research results

The results of the research by SHyP are as follows.

- (i) Existence of the non-contact effect was proved²).
- (ii) A delayed effect was discovered which is a feature of the non-contact effect³).
- (iii) Identified the necessary conditions for the non-contact effect to come into play⁴).

Here, the non-contact effect is an effect a meditator exerts on the gas generation reaction of the bio-sensors which are placed on the PS peak when the meditator meditates in the PS. The PS is made of an aluminum pipe frame, and polystyrene boards. Its surface is covered with a fractal graphic form (**Fig.2**). The meditator (Masamichi Sakamoto with 23 years of Hemi-Sync[®] experience) meditated without directing any attention to the bio-sensors (edible cucumber slices) which were physically separated from him and were placed on the PS peak (**Fig.3**). The duration of meditation was 30 min. We

Osamu TAKAGI: 40A, Yuuki Bldg., Sonno 1108-2, Inage 263-0051
Japan. Phone: +81-43-255-5481, FAX: +81-043-255-5481,
E-mail: takagi@a-iri.org



Fig. 1 The research members of SHyP



Fig. 2 Pyramidal structure



Fig. 3 Meditation state




Fig. 4 Comparison of J value : presence/absence of the mediator




Fig. 5 The delayed effect of the non-contact effect




Fig. 6 The experimental patterns of the verification experiment




Fig. 7 The results of the verification experiment

adopted the J value as an evaluation method for the non-contact effect⁵). The J value were calculated from the concentrations of gas (2-hexanol gas) emitted from the bio-sensors. IRI developed the non-contact effect measuring methods by using bio-sensors. And using these measurement methods, we successfully detected the healer's non-contact effect on bio-sensors and a wave like bio field around the healer⁶⁻⁸).

About the results of research (i): The existence of the non-contact effect by a meditator was proved by comparison of the presence/absence of the meditator in the PS and by the differences of the J value (**Fig.4**). At this time, the difference of the gas concentration emitted from the bio-sensors was 20% and the probability of this result occurring by chance is about one-ten billionth. Therefore, it is supposed that the meditator has certainly affected the bio-sensors without contacting them. In the published paper²), we adopted J values which were adjusted by the J value for the situation in which the meditator was not in the PS. However, in **Fig. 4**, the calibrated J value was used instead, which will be the case for all the figures afterward.

About the results of research (ii): As shown in **Fig. 5**, after-meditation, the J value increased, and reached a peak after about 20 hours, and decreased exponentially. The delayed effect of the non-contact effect which last over a long period of time for about 20 days is a new phenomenon and we call it "an anomalous non-contact effect with a delay associated with a PS". The curve in the figure is a theoretical curve for a transient response phenomenon which was applied to the delayed effect of the non-contact effect and approximates the experimental results very well.

About the results of research (iii): As the necessary conditions for the non-contact effect, is the presence of a meditator enough? Is the presence of a pyramid really a necessary condition? These were the questions we had. Therefore, a verification experiment was conducted, for example a blank experiment without a meditator and a meditation experiment without a PS, etc. There are four kinds of experiment patterns (**Fig. 6**). The results of the experiment (**Fig. 7**) was as follows. Only when both the PS and the meditator existed in the meditation period (Med), it was verified that the non-contact effect was detectable in the post-meditation period (Post). That is, under the conditions in which the PS alone exists or the meditator alone exists, this phenomenon (delayed effect in **Fig. 5**) does not occur.

3. Conclusion

As the newest result of research, we identified the necessary conditions for the non-contact effect⁴) to come into play. The direct motive we conducted the verification experiment is as follows: The non-contact effect was not detected when a meditator was in the PS^{2,3}), whereas it

was detected when a meditator was not in the PS. We felt a strong need for understanding what was going on. In the early stage of the meditation experiment which used a PS, we had an expectation "a meditator affects the bio-sensors directly in real time, as the non-contact effect." However, the expectation was completely reversed by the result of the experiment. Then, we proposed a hypothesis on the pyramid effect about revelation of the non-contact effect by the meditator in the PS³). The hypothesis is as follows: The meditator exerts a peculiar influence on the environment around him, which does not have a direct effect on the bio-sensors. However, this peculiar influence is transformed by the pyramidal structure, which then has an effect on the bio-sensors. We were not only able to identify the necessary conditions for the non-contact effect to come into play, but also able to obtain the results which further solidified the hypothesis on the pyramid effect by the verification experiment.

So far, SHyP made clear a part of unknown function the PS has. That is the PS is a kind of "energy transducer", and it changes the action (meditation energy) by the meditator in the PS into another action (PS energy). Meditation energy and PS energy are unknown energies in the modern science. However, such energies can be shown to exist clearly by experiments which use bio-sensors. By future research, the scientific understanding of unknown energy may progress and the applicable field may spread.

References

- 1) Darryl A. and Sakamoto M.: *Bashar x Sakamoto Masamichi Jinrui, Sono Kigen to Mirai (Bashar x Sakamoto Masamichi Human beings, its origin and future)*. Oosora Y. Trans. Tokyo: Voice Publishers, Inc., 2009. ISBN-10: 4899762356. [In Japanese].
- 2) Takagi O., Sakamoto M., Kokubo H., Yoichi H., Kawano K., Yamamoto M.: Meditator's non-contact effect on cucumbers. *International Journal of Physical Sciences*, **8**(15): 647-651, 2013. Doi: 10.5897/IJPS2012.3800
- 3) Takagi O., Sakamoto M., Yoichi H., Kokubo H., Kawano K., Yamamoto M.: Discovery of an anomalous non-contact effect with a pyramidal structure. *International Journal of Sciences*, **4**(5): 42-51, 2015. Doi: 10.18483/ijSci.714
- 4) Takagi O., Sakamoto M., Yoichi H., Kokubo H., Kawano K., Yamamoto M.: An unknown force awakened by a pyramidal structure. *International Journal of Sciences*, **5**(6): 45-56, 2016. Doi: 10.18483/ijSci.1038
- 5) Kokubo H., Takagi O., Yamamoto M.: Development of a gas measurement method with cucumber as a bio-sensor. *Journal of International Society of Life*

Information Science, **27**(2): 200-213, 2009.

- 6) Kokubo H., Yamamoto M.: Controlled healing power and ways of non-contact healing. *Journal of International Society of Life Information Science*, **27**(1): 90-105, 2009.
- 7) Kokubo H., Takagi O., Koyama S. & Yamamoto M.: Discussion of an approximated equation for special distribution of controlled healing power around a human body. *Journal of International Society of Life Information Science*, **29**(1): 23-34, 2011.
- 8) Kokubo H.: *Ki or Psi - Anomalous Remote Effects of Mind-Body System*. New York: Nova Science Publishers, Inc., 2015. ISBN-10: 1634829549.